



**TIF<sup>®</sup>030-05** is a soft silicone gel-based gap filler pad, formulated with a special blend of fillers to provide both excellent thermal conductivity and superior softness. Compared to conventional thermal greases, TIF<sup>®</sup>030-05 has a higher viscosity, which effectively prevents filler separation from the silicone matrix and reduces filler migration, helping maintain consistent thermal performance. It is applied in a similar manner to thermal grease and is suitable for commercial dispensing or automated equipment. Typical applications include flip-chip microprocessors, PPGAs, micro BGA packages, BGA packages, DSP chips, circular silicon chips, LED lighting, and other high-power electronic components.

## Feature

- › Thermal conductivity: **3.0 W/mK**
- › Soft, very low compression
- › Low thermal impedance
- › Operate automatically
- › Proven long-term reliability

## Application

- › Heat-sink & frame
- › LED backlight module, LED lighting
- › High speed hardware driver
- › Micro heat pipe
- › Vehicel enginee controller
- › Telecom industry
- › Semiconductor automatic laboratory equipment

**TIF<sup>®</sup>030-05 TYPICAL PROPERTIES**

Property	Value	Test Method
<b>Color</b>	<b>Blue</b>	<b>Visual</b>
<b>Construction &amp; Composition</b>	<b>Ceramic filled silicon material</b>	-
<b>Flow Rate (g/min)</b>	<b>30</b>	<b>Ziitek Test Method (30 cc syringe/ 2.5 mm orifice/ 90 psi)</b>
<b>Density (g/cc)</b>	<b>3.25</b>	<b>ASTM D297</b>
<b>Thermal Conductivity (W/mK)</b>	<b>3.0</b>	<b>ASTM D5470</b>
<b>Thermal Impedance @10psi (°C·in<sup>2</sup>/W)</b>	<b>0.080</b>	<b>ASTM D5470</b>
<b>Thermal Impedance @50psi (°C·in<sup>2</sup>/W)</b>	<b>0.075</b>	<b>ASTM D5470</b>
<b>Recommended Operating Temp (°C)</b>	<b>-45 ~200</b>	<b>Ziitek Test Method</b>
<b>Dielectric Strength (V/mm)</b>	<b>≥4000</b>	<b>ASTM D149</b>
<b>Bond Line Thickness (mm)</b>	<b>0.10</b>	<b>Ziitek Test Method</b>
<b>Flame Rating</b>	<b>V-0</b>	<b>UL94</b>
<b>Shelf Life</b>	<b>12 months</b>	-

## Product Specification:


•30 cc/pcs, 98 pcs/box; 300 cc/pcs, 6 pcs/box.

Custom packaging available for automation use. Please contact us for confirming.

If you want to know our thermal products, please visit our website.

## Product Identifier:

**TIF 030 - 05**



## Global solutions: Local support

China: +86-769-38801208  
Taiwan: +886-2-2277-1007  
Canada: +001-604-2998559  
Vietnam: +84-396852859

service@ziitek.com  
www.ziitek.com

Ziitek Technology Ltd and it's distributors provide information deemed accurate and reliable. However, product specifications may be adjusted due to technical modifications or optimizations without prior notice. The responsibility for product use and application lies with the end user. Ziitek makes no guarantees regarding the product's suitability, merchantability, or fitness for a particular purpose and assumes no liability for incidental or consequential damages. Ziitek and it's logo are the property of the company or it's affiliates.

